

CRT Cutting Machine

Agenda

- Description
- Specification
- Advantages
- Images
- Key Features

Description

- We are occupied with assembling and supplying amazing quality CRT Cutting Machine to our important customers. CRT Cutting framework MSE-CRTC-is to isolated the glass at board and glass at back part called pipe, suck and gather the phosphorus powder.

Description

- All strides are eco-accommodating, no contamination delivered.
- The procedure incorporates glass slicing through nicrome wire spilt bite the dust. The machine isolates cathode beam tube in TV and screens in front and back part.

Description

- The machine isolates cathode beam tube in TV and screens in front and back part. These are then isolated into distinctive parts for reusing.
- Size of waste TV and waste computer: 14 inch-33 inch or more. LCS is not appropriate.

Specification

- we have electrical waste destroying hardware applies in TV destroying, PC dismantling, fridge destroying, ventilating and clothes washer dismantling, and so on.

Specification

- The CRT cutting machine utilizing nicrome wire spilt kick the bucket technique can effectively isolate the glass board and pipe, gather inside phosphor to counteract ecological contamination productively.

Specification

- Fundamentally utilized for waste TV with size from 14 "to 33", and waste PC screens. The limit comes to up to 60 pieces for each hour.

Advantages

- Applies in bunches of waste electrical items
- Reward the licensed accreditation
- Adequately reusing the copper Identify ways to apply training.



CRT Cutting Machine

CRT - CM

Key Features

- Full scope of machines consolidating manual, and additionally completely programmed partition of the CRT

CONTACT

**Advanced Industrial Material Separator(India)
Private Limited**

Address: Plot No.234, Green Garden,
Co Operative Nagar, Ayyabakkam,
Ambattur,
Chennai - 600058.

Mobile:+91 9698 669799, +91 9159566555
+91 9943307188

Email: aimsindiaprivatelimited@gmail.com

